





 12/4501-11
 12/4501-15

 12/4502-11
 12/4502-15

 12/4521-11
 12/4521-15

 12/4522-11
 12/4522-15


PROFİL KODU	AĞIRLIK (kg/m)	PRES TAKOZ	KESİM ÖLÇÜSÜ	I x	ly
12/4501-11	0,543	T851-106	42,3 mm	5,43	2,23
12/4501-15	0,639	T851-098	41,5 mm	6,35	2,38
12/4502-11	0,632	T851-24-2	42,3 mm	7,04	6,01
12/4502-15	0,793	T851-24-1	41,5 mm	8,70	6,94
12/4521-11	0,628	T851-106	41,9 mm	4,11	6,29
12/4521-15	0,741	T851-098	41,1 mm	4,42	6,69
12/4522-11	0,714	T851-24-2	41,9 mm	9,26	7,96
12/4522-15	0,889	T85-250	41,1 mm	10,40	9,80




12/4504-11



12/4506-11




12/4507-11



12/4531-11


12/4531-15



12/4535-11


12/4535-15

PROFİL KODU	AĞIRLIK (kg/m)	FRES TAKOZ	KESİM ÖLÇÜSÜ
12/4504-11	0,505	T851-106	42,3 mm
12/4506-11	0,287		
12/4507-11	0,208		
12/4531-11	0,661	T851-106	46,3 mm
12/4531-15	0,795	T851-098	45,5 mm
12/4535-11	0,701	T851-106	46,2 mm
12/4535-15	0,847	T851-098	45,4 mm




12/4532-11

12/4532-15




12/4536-11

12/4536-15



12/4533-11

12/4533-15



12/4552-11

PROFİL KODU	AĞIRLIK (kg/m)	FRES TAKOZ	KESİM ÖLÇÜSÜ
12/4532-11	0,751	T851-24-2	46,3 mm
12/4532-15	0,917	T85-250	45,5 mm
12/4536-11	0,787	T851-24-2	46,3 mm
12/4536-15	0,974	T851-24-1	45,5 mm
12/4533-11	0,900	T85-488*	46,3 mm
12/4533-15	1,148	T85-498	45,5 mm
12/4552-11	0,724		

* 12/4533-11 nolu profil T85-488 takozunun altında 0710-20 nolu 30 X 30-2 mm köşebent ile, takoz ile aynı ölçüde kesilip takviye edilerek kullanılacaktır.

